

Kills Both Large & Small Roaches

Lasts # 6 Months



Active Ingredient:
Chlorpyrifos0.50%
Other Ingredients99.50%

*For terms of guarantee, see back.

KEEP OUT OF REACH OF CHILDREN

Total Net Wt 0.84 oz (23.8 g)

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS

CAUTION See back for additional PRECAUCIÓN Consulte la parte posterior para conocer las declaraciones preventivas addicionales

CONTAINS Child-Resistant Bait Stations








Hot Shot® MaxAttrax® Roach Bait contains an attractant that gets roaches to the bait.

La trampa con cebo para cucarachas de Hot Shot® MaxAttrax® contiene un agente atrayente que hace que las cucarachas vayan a la trampa con cebo.

Attractant draws roaches to bait






- 2. Roaches eat bait, then crawl away to die. Kills roaches...and the eggs they carry.
- Las cucarachas comen el cebo de la trampa y salen para morir. Mata las cucarachas...y los huevecillos que llevan.



STOP READ ENTIRE LABEL BEFORE USING. ALTO LEA TODA LA ETIQUETA ANTES DE USAR.



DIRECTIONS FOR HOUSEHOLD USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. MODO DE EMPLEO PARA USO DOMÉSTICO: Se considera una violación a la ley federal usar este producto de una manera que no sea la indicada en la etiqueta.



- 1. Open pouch and break bait stations apart from each other.
- 2. Place bait stations where roaches have been seen or in out-of-the-way places near walls, in cabinets, under sinks and refrigerators and in closets.
- 3. Replace baits every six months for continued control or sooner if infestation is heavy.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry place. Disposal: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION. Wash thoroughly with soap and water after handling bait stations. Keep out of reach of children. Do not place bait on surfaces where food is being prepared or on utensils that are used for food preparation. Do not store near or contaminate food. Do not remove bait from container.

NOTE TO PHYSICIAN: Atropine is antidotal and should be administered only if symptoms may appear. Chlorpyrifos is a cholinesterase inhibitor.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.



Questions or Comments?

Call 1-800-917-5431 or visit our website at www.hotshot.com

*GUARANTEE. If you are not satisfied with this product for any reason, send your written request for a refund to the address below, together with the dated store receipt showing the price you paid. Please allow 6-8 weeks

Made in China

Distributed by Spectrum Group, Division of United Industries Corp. PO Box 142642, St. Louis, MO 63114-0642

EPA Reg. No. 9688-67-8845 EPA Est. No. 81838-CHN-1 16-10431 © 2011 UIC

- 1. Abra la bolsa y separe las trampas con cebo.
- 2. Coloque las trampas con cebo donde fueron vistas las cucarachas o en lugares retirados cerca de paredes, en gabinetes, debajo de fregaderos y refrigeradores y en
- 3. Para lograr un control duradero, reemplace las trampas con cebo cada seis meses, o antes, si la infestación es grande.

ALMACENAMIENTO Y ELIMINACION

Almacenamiento: Guarde en un lugar fresco y seco. Eliminación: Si está vacío: No vuelva a usar este envase. Tírelo en la basura u ofrézcalo para reciclar, si existe esa opción. Si está parcialmente vacío: Llame a su servicio de eliminación de desechos más cercano para obtener instrucciones de eliminación. Nunca tire el producto sin usar por ningún drenaje interno ni externo.

DECLARACIONES PREVENTIVAS

Riesgos para los seres humanos y los animales domésticos

PRECAUCIÓN. Después de manipular las trampas con cebo, lávese muy bien con aqua y jabón. Manténgase fuera del alcance de los niños. No coloque las trampas con cebo en superficies donde se preparan alimentos o sobre utensilios que se usan para preparar alimentos. No lo quarde cerca ni contamine los alimentos. No quite el cebo del envase. NOTA PARA EL MÉDICO: El antidoto es la atropina y se debe administrar solo si aparecen los síntomas. El clorpirifos es un inhibidor de la colinesterasa.

NOTA: Hasta el grado que sea compatible con la legislación pertinente, el comprador asume toda la responsabilidad para seguridad y uso que no estén de acuerdo con las instrucciones.



¿Preguntas o comentarios?

Llame al 1-800-917-5431.

PROOF OF PURCHASE

FPO UPC 0 71121 02030 7 verify readability



